

EXHIBIT HALL SERVICES
2024 ELECTRICAL/PLUMBING PRICING

120 Volt Power		15 Day Advance Price	Regular Price
1 Outlet to 500 watts or 5 amp		\$215.00	\$247.00
2 Outlets to 1000 watts or 10 amp		\$247.00	\$313.00
3 Outlets to 1500 watts or 15 amp		\$289.00	\$354.00
4 Outlets to 2000 watts or 20 amp		\$339.00	\$403.00
6 Outlets to 3000 watts or 30 amp		\$416.00	\$486.00
208 Volt Power			
Single Phase or Three Phase		15 Day Advance Price	Regular Price
15 AMP		\$411.00	\$477.00
20 AMP		\$526.00	\$692.00
30 AMP		\$727.00	\$988.00
50 AMP		\$1,113.00	\$1,552.00
Note: All equipment utilizing nominal 208 voltage must have appropriate male plug			
480 Volt Power		Please call for Pricing	
Extension Cords (rental only) Exhibitor must pick up at service desk			
		15 Day Advance Price	Regular Price
25 ft. 1 outlet extension cord		\$20.00	\$20.00
25 ft. 3 outlet extension cord		\$25.00	\$25.00
6 outlet power strip		\$30.00	\$30.00
*Compressed Air (minimum charge)		\$350.00	\$350.00
**Water (minimum charge)		\$350.00	\$350.00
Drainage (minimum charge)		\$350.00	\$350.00
Fill & Drain up to 500 gallons		\$350.00	\$350.00
Fill & Drain over 500 gallons		Please call for Pricing	
Troubleshooting or Special Wiring ONLY			
***Labor per hour 7 am – 5 pm		\$70.00	\$70.00
***Labor per hour 5 pm – 7 am		\$100.00	\$100.00
***NOTE: Above Labor Fees are for troubleshooting and/or special wiring only.			
<u>Gaylord Opryland is not a source of electrical SET-UP labor.</u>			

EXHIBIT HALL SERVICES
2024 ELECTRICAL/PLUMBING PRICING

Electrical Connection
Each outlet is considered one actual plug-in. Prices are per outlet, or combination of outlets with electrical load not to exceed watt and/or ampere rating indicated. Prices printed include labor and 24-hour service. This represents a one-time charge, not a daily rate. Rates quoted for electrical connections cover only the bringing of services to the booth in the most convenient manner. <u>Gaylord Opryland does not supply labor for connecting or running electrical inside booth area.</u> For your convenience, Gaylord Opryland will staff an electrical service desk during exhibitor set-up.
Inline & Island Booths
<u>All power in the Exhibit Hall comes from the ceiling.</u>
Inline Booths: Electrical will be installed on the floor at the back of the booth Island Booths: Electrical service will come from exhibit hall ceiling and will be provided in the most convenient manner. <u>Gaylord Opryland does not supply labor for connecting or running electrical inside booth area.</u>
*Compressed Air
Gaylord Opryland supplies 1/2" or 3/4" quick release female connection. Exhibitor is responsible for male connector. Fitting can be purchased on site. Gaylord Opryland supplies 100 PSI. Exhibitor is responsible for air regulator if needed. Please list CFM required on your order.
**Water and Drainage
Water - Gaylord Opryland supplies male threaded hose connector. Exhibitor is responsible for bringing connector to adapt. Drainage - Depending on location of exhibit, a drain may not be available. Please call to verify availability.
See Terms and Conditions
Full payment must accompany your order in order to avoid paying regular price. Not refundable for non-use or no show. In order to receive a refund, cancellations must be made at least seven (7) days prior to set-up day. Prices are subject to change without notice. Advanced pricing is honored for orders submitted at least (15) days before first show date.

Terms and Conditions for Exhibits and Displays

Adhesives: No pins, tacks, or adhesives of any kind are permitted on any hotel wall, door, or column. Any tape applied to the floor must be approved by the Hotel Exhibit Hall Manager. Proper tape can be purchased from the Hotel Exhibit Hall Manager. No helium filled balloons or adhesive backed stickers may be given out by exhibitors.

Non-Flammable Materials: All materials used in the Exhibit Hall, Ballroom, or any other room of Gaylord Opryland MUST be non-flammable to conform with the Fire Regulations of Nashville, Tennessee. Electrical wiring and equipment installation must conform to appropriate Nashville, Tennessee codes. Gaylord Opryland personnel are obligated to refuse connections where wiring is not in accordance with subject code. Material not conforming with such regulations will be removed immediately at the exhibitor's expense. Engines, motors or any kind of equipment may be operated only with the consent of the Director of Conference Services or Exhibit Hall Manager at Gaylord Opryland.

Special Notices: All booth equipment, furniture and carpeting must be confined to the measured limits of the booth. No nails, or bracing wires used in erecting displays may be attached to the building without written consent of the Director of Conference Services or the Exhibit Hall Manager at Gaylord Opryland. All property destroyed or damaged by the exhibitor must be replaced in its original condition by the exhibitor or at the exhibitor's expense.

All materials and equipment furnished to the Exhibitor by Gaylord Opryland will remain Gaylord Opryland property and will be removed by Gaylord Opryland after close of show.

Liability: Gaylord Opryland is not responsible for any injury, loss or damage that may occur to the Exhibitor, the Exhibitor's agents, employees, or property, and to any other person or property, to the extent arising out of, resulting from or in any way related to Exhibitor's exhibits and displays or any breach of this agreement by Exhibitor, provided that said injury, loss or damage is not caused by the gross negligence or willful misconduct of a Gaylord employee acting within the scope of his employment in connection with the exhibition as contemplated by this agreement. Each Exhibitor hereby expressly releases Gaylord Opryland, Marriott International, Inc., its subsidiaries and affiliates from such liabilities and agrees to indemnify Gaylord Opryland, Marriott International, Inc., its subsidiaries and affiliates against any and all claims for such injury, loss or damage.

Insurance: Exhibitors who desire to carry insurance on their exhibits must do so at their own expense.

Fire Regulations: All doors and openings must be kept clear. Exit Signs, fire alarms and extinguishers must be visible at all times.

Display vehicles must meet the following requirements:

Battery cables must be disconnected

Fuel level must be no more than 1/8th of a tank

Gas cap must be locked and / or taped shut

EXHIBIT HALL SERVICES
2024 ELECTRICAL/PLUMBING PRICING

Storage: Absolutely no storage of material of any type allowed behind booths or between booths. Gaylord Opryland has no facilities for the storage of exhibits. All shipments for an exhibit must be directed to the official drayer. Shipments that arrive prior to show time will be directed to the official drayer's warehouse for storage and delivery to the exhibitor's booth at show time, at exhibitor's expense.

Food and Beverage: Any food or beverage dispensed or given away at booths must be supplied and prepared by Gaylord Opryland.